



# TEST REPORT

Report No.: AZT250306018C-E0

Date of issue: March 11, 2025

Page 1 of 13

**Applicant** : Yunhe County Aijia'er Infant and Child Products Co., Ltd.  
**Address** : B14-2 Xinhui Industrial Park, Yunhe County, Lishui City, Zhejiang Province China  
**Manufacturer** : Yunhe County Aijia'er Infant and Child Products Co., Ltd.  
**Address** : B14-2 Xinhui Industrial Park, Yunhe County, Lishui City, Zhejiang Province China

Report on the submitted samples said to be:

Sample Name : Wooden music set  
Sample Description : Wooden  
Model No. : AJE-0043  
Lot No. : 20250201  
Labeled Age Grading : 0 to 3 years old  
Requested Age Grading : 0 to 3 years old  
Age Group Applied in Testing : For all ages  
Date of Sample Received : March 06, 2025  
Testing Period : March 06, 2025 ~ March 11, 2025  
Results : Please refer to next page(s).

\*\*\*\*\*

Signed for and on behalf of AZT

Jack Zhong



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China  
Tel:0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com



# TEST REPORT

Report No.: AZT250306018C-E0

Date of issue: March 11, 2025

Page 2 of 13

\*\*\*\*\*

## TEST REQUEST

## CONCLUSION

A	As specified in title 16, code of federal regulations, chapter II - consumer products safety commission of U.S.A	
	1. 16 CFR 1500.50 Normal use testing	<b>Pass</b>
	2. 16 CFR 1500.51.52.53 Simulating use and abuse of toys	<b>Pass</b>
	3. 16 CFR 1501 Small part rule	<b>Pass</b>
	4. 16 CFR 1500.48 Sharp Point	<b>Pass</b>
	5. 16 CFR 1500.49 Sharp Edge	<b>Pass</b>
	6. 16 CFR 1500.44 Method for determining extremely flammable and flammable solids	<b>Pass</b>
B	ASTM F963-23 Standard Consumer Safety Specification for Toy Safety:	
	1. ASTM F963-23 Section 4.1 Physical & Mechanical Tests	<b>Pass</b>
	2. ASTM F963-23 Section 4.2 Flammability	<b>Pass</b>
	3. ASTM F963-23 Section 4.3 Toxicology	<b>Pass</b>
	3.1. Soluble Heavy Metals Content in paint and similar surface coating material : ASTM F963-23 Section 4.3.5.1(2)	<b>Pass</b>
	3.2. Total Lead(Pb) Content in paint and similar surface coating material: ASTM F963-23 Section 4.3.5.1(1)	<b>Pass</b>
	3.3. Soluble Heavy Metals Content in Toy Substrate Materials: ASTM F963-23 Section 4.3.5.2(2)(b)	<b>Pass</b>
	3.4. Total Lead(Pb) Content in Toy Substrate Materials: ASTM F963-23 Section 4.3.5.2(2)(a)	<b>Pass</b>
	3.5. Phthalates Content in Toys (including pacifiers, rattles, and teethers): ASTM F963-23 Section 4.3.8	<b>Pass</b>
C	16 CFR Ch.II Part 1303-Ban Of Lead-Containing Paint And Certain Consumer Products Bearing Lead-Containing Paint	<b>Pass</b>
D	Total Lead(Pb) Content in Surface Coating-15 U.S.C.§ 1278a(a), US Consumer Product Safety Improvement Act (CPSIA) of 2008, Section101(f)	<b>Pass</b>
E	Total Lead(Pb) Content in Substrate -15 U.S.C.§1278a(a), US Consumer Product Safety Improvement Act (CPSIA) of 2008,Section101(a)	<b>Pass</b>
F	Phthalates Content-US Consumer Product Safety Improvement Act (CPSIA) of 2008, Sec.108(a) &(b)(3) and US 16 CFR Part 1307 for Prohibition of Children's Toys and Childcare Articles Containing Specified phthalates	<b>Pass</b>
G	15 U.S.C.§ 2063(a)(5) or Consumer Product Safety Improvement Act of 2008(CPSIA),PUBLIC LAW 110 -314(August 14, 2008)(CPSIA),Section103 -Tracking labels for children's products	<b>Pass</b>

\*\*\*\*\*





# TEST REPORT

Report No.: AZT250306018C-E0

Date of issue: March 11, 2025

Page 3 of 13

### Tested part(s):

- 01 Wooden substrate
- 02 Silvery metal
- 03 White coating

### **Results:**

#### **A. As specified in title 16, code of federal regulations, chapter II - consumer products safety commission of U.S.A**

Clause		Description	Result
1	16 CFR 1500.50	Normal use testing	Pass
2		Abuse testing	
	(Sec. 1500. 51b)	Impact Test	Pass
	(Sec. 1500. 52c)	Bite Test	N/A
	(Sec. 1500. 53d)	Flexure Test	N/A
	(Sec. 1500. 53e)	Torque Test	Pass
	(Sec. 1500. 52f)	Tension Test	Pass
	(Sec. 1500. 53g)	Compression Test	N/A
3	16 CFR 1501	Identifying toys and other articles intended for use by Children under 3 years of age which present choking aspiration, or ingestion hazards because of small parts.	Pass
4	16 CFR 1500.48	Technical requirements for determining a sharp point in toys and other articles intended for use by children under 8 years of age.	Pass
5	16 CFR 1500.49	Technical requirements for determining a sharp metal or glass edge in toys and other articles intended for use by children under 8 years of age.	Pass
Note: 16 CFR 1500.51 for 18 months of age or less, 16 CFR 1500.52 for over 18 months but not over 36 months, 16 CFR 1500.53 for over 36 months but not over 96 months. N/A = Not Applicable			

#### **A.6. 16 CFR 1500.44 Method for determining extremely flammable and flammable solids**

##### Flammability test on Solid

Method used: Federal Hazardous Substances Act FHSA 16 CFR 1500.44

<u>Sample</u>	<u>Burn rate (inch/sec.)</u>	<u>Result</u>
Wooden music set	DNI	Pass

Note: DNI = Did Not Ignited      SE = Self-Extinguished      IBE = Ignite But Extinguished



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China  
Tel:0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com



# TEST REPORT

Report No.: AZT250306018C-E0

Date of issue: March 11, 2025

Page 4 of 13

## **B. ASTM F963-23 Standard Consumer Safety Specification for Toy Safety:**

### **B.1. ASTM F963-23 Section 4.1 Physical & Mechanical Tests**

Section	Test Item	Result
4	Safety Requirements	
4.1	Material Quality	Pass
4.3	Toxicology	Pass
4.3.6	Cosmetics, Liquids, Pastes, Putties, Gels, Powders, and Items of Avian Feather Origin	N/A
4.3.7	Stuffing Materials.	N/A
4.4	Electrical/Thermal Energy	N/A
4.5	Sound-producing Toys	N/A
4.6	Small Objects	Pass
4.6.1	Toys that are intended for children under 36 months of age	Pass
4.6.2	Mouth-Actuated Toys	N/A
4.6.3	Toys and games that are intended for use by children who are at least three years old but less than six years of age	N/A
4.7	Accessible Edges	Pass
4.8	Projections	N/A
4.9	Accessible Points	Pass
4.10	Wires or Rods	N/A
4.11	Nails and Fasteners	N/A
4.12	Plastic Film	N/A
4.13	Folding Mechanisms and Hinges	N/A
4.14	Cords, Straps, and Elastics	N/A
4.15	Stability and Over-Load Requirements	N/A
4.16	Confined Spaces	N/A
4.17	Wheels, Tires and Axles	N/A
4.18	Holes, Clearance and Accessibility of Mechanisms	N/A
4.19	Simulated Protective Devices (such as helmets, hats, and goggles)	N/A
4.20	Pacifiers	N/A
4.21	Projectile Toys	N/A
4.22	Teethers and Teething Toys	N/A
4.23	Rattles	N/A
4.24	Squeeze Toys	N/A
4.25	Battery-Operated Toys	N/A
4.26	Toys Intended to be Attached to a Crib or Playpen	N/A



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China  
Tel:0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com



# TEST REPORT

Report No.: AZT250306018C-E0

Date of issue: March 11, 2025

Page 5 of 13

Section	Test Item	Result
4.27	Stuffed and Beanbag-Type Toys	N/A
4.28	Stroller and Carriage Toys	N/A
4.29	Art Materials	N/A
4.30	Toy Gun Marking	N/A
4.31	Balloons	N/A
4.32	Certain Toys with Nearly Spherical Ends	N/A
4.33	Marbles	N/A
4.34	Balls	N/A
4.35	Pompoms	N/A
4.36	Hemispheric-Shaped Objects	N/A
4.37	Yo-Yo Elastic Tether Toys	N/A
4.38	Magnets	N/A
4.39	Jaw Entrapment in Handles and Steering Wheels	N/A
4.40	Expanding Materials	N/A
4.41	Toy Chests	N/A
5.	Labeling Requirements	
5.1	Federal Government Requirements	Pass
5.2	Age Grading Labeling	Pass
5.3	Safety Labeling Requirements	N/A
5.4	Aquatic Toys	N/A
5.5	Crib and Playpen Toys	N/A
5.6	Mobiles	N/A
5.7	Stroller and Carriage Toys	N/A
5.8	Toys Intended to be Assembled by an Adult	N/A
5.9	Simulated Protective Devices	N/A
5.10	Toys with Functional Sharp Edges or Points	N/A
5.11	Small Objects, Small Balls, Marbles and Balloons	N/A
5.12	Art Materials	N/A
5.13	Electric Toys	N/A
5.14	Battery-Operated Toys	N/A
5.15	Promotional Materials	N/A
5.16	Magnets	N/A
6.	Instructional Literature	
6.1	Definition and Description	N/A



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China  
Tel:0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com



# TEST REPORT

Report No.: AZT250306018C-E0

Date of issue: March 11, 2025

Page 6 of 13

Section	Test Item	Result
6.2	Crib and Playpen Toys	N/A
6.3	Mobiles	N/A
6.4	Toys Intended to be Assembled by an Adult	N/A
6.5	Battery-Operated Toys	N/A
6.6	Battery Powered Ride-on Toys	N/A
6.7	Toys in Contact with Food	N/A
6.8	Toy Chests	N/A
6.9	The instructional material for toys which require a manufacturer-supplied specialty or custom tool	N/A
7.	Producer's Markings	
7.1	Producer's Markings	Pass
7.2	Battery-Powered Ride-on Toys	N/A
7.3	Toy Chests	N/A
8.	Test Method	
8.5	Normal Use Testing	Pass
8.5.1	Washable Toys	N/A
8.7	Impact Test	Pass
8.8	Torque Test	Pass
8.9	Tension Test	Pass
8.10	Compression Test	N/A
8.12	Flexure Test	N/A
8.16	Tension Test for Pompoms	N/A

Note:

- N/A =Not Application
- N/C=Not Conducted as per client's request

## **B.2. ASTM F963-23 Section 4.2 Flammability**

### **Flammability test on Solid**

Ref.: ASTM F963-23 Section 4.2

Method used: Federal Hazardous Substances Act FHSA 16 CFR 1500.44

<u>Sample</u>	<u>Burn rate (inch/sec.)</u>	<u>Result</u>
Wooden music set	DNI	Pass

Note: In accordance with the ASTM F963, the burning rate should not be greater than 0.1 inch per second.

DNI = Did Not Ignited

SE = Self-Extinguished

IBE = Ignite But Extinguished



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China  
Tel:0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com



# TEST REPORT

Report No.: AZT250306018C-E0

Date of issue: March 11, 2025

Page 7 of 13

### **B.3. ASTM F963-23 Section 4.3 Toxicology**

#### **B.3.1. Soluble Heavy Metals Content in paint and similar surface coating material :**

##### **ASTM F963-23 Section 4.3.5.1(2)**

Test method: With reference to ASTM F963-23, Analysis was performed by Inductively Coupled Plasma-Optical Emission Spectrometer (ICP-OES).

Test Items	Unit	MDL	Results	Limit
			03	
Soluble Lead (Pb)	mg/kg	5	N.D.	90
Soluble Antimony (Sb)	mg/kg	5	N.D.	60
Soluble Arsenic (As)	mg/kg	5	N.D.	25
Soluble Barium (Ba)	mg/kg	5	N.D.	1000
Soluble Cadmium (Cd)	mg/kg	5	N.D.	75
Soluble Chromium (Cr)	mg/kg	5	N.D.	60
Soluble Mercury (Hg)	mg/kg	5	N.D.	60
Soluble Selenium (Se)	mg/kg	5	N.D.	500
<b>Conclusion</b>	--	--	<b>Pass</b>	--

Note:

- N.D. = Not Detected or less than MDL
- MDL = Method Detection Limit
- 0.1% = 1000mg/kg, mg/kg = ppm

#### **B.3.2. Total Lead (Pb) Content in paint and similar surface coating material:**

##### **ASTM F963-23 Section 4.3.5.1(1)**

Test method: With reference to ASTM F963-23 , Analysis was performed by Inductively Coupled Plasma-Optical Emission Spectrometer (ICP-OES).

Test Item	Unit	Result	MDL	Limit
		03		
Lead (Pb)	mg/kg	N.D.	10	90
<b>Conclusion</b>	--	<b>Pass</b>	--	--

Note:

- N.D. = Not Detected or less than MDL
- MDL = Method Detection Limit
- 0.1% = 1000mg/kg, mg/kg = ppm





# TEST REPORT

Report No.: AZT250306018C-E0

Date of issue: March 11, 2025

Page 8 of 13

### **B.3.3. Soluble Heavy Metals Content in Toy Substrate Materials:**

#### **ASTM F963-23 Section 4.3.5.2(2)(b)**

Test method: With reference to ASTM F963-23, Analysis was performed by Inductively Coupled Plasma-Optical Emission Spectrometer (ICP-OES).

Test Items	Unit	MDL	Results	Limit
			01	
Soluble Lead (Pb)	mg/kg	5	N.D.	90
Soluble Antimony (Sb)	mg/kg	5	N.D.	60
Soluble Arsenic (As)	mg/kg	5	N.D.	25
Soluble Barium (Ba)	mg/kg	5	N.D.	1000
Soluble Cadmium (Cd)	mg/kg	5	N.D.	75
Soluble Chromium (Cr)	mg/kg	5	N.D.	60
Soluble Mercury (Hg)	mg/kg	5	N.D.	60
Soluble Selenium (Se)	mg/kg	5	N.D.	500
<b>Conclusion</b>	--	--	<b>Pass</b>	--

Note:

- N.D. = Not Detected or less than MDL
- MDL = Method Detection Limit
- 0.1% = 1000mg/kg, mg/kg = ppm

### **B.3.4.Total Lead (Pb) Content in Toy Substrate Materials: ASTM F963-23 Section 4.3.5.2(2)(a)**

Test method: With reference to ASTM F963-23 , Analysis was performed by Inductively Coupled Plasma-Optical Emission Spectrometer (ICP-OES).

Test Item	Unit	Result	MDL	Limit
		01		
Lead (Pb)	mg/kg	N.D.	10	100
<b>Conclusion</b>	--	<b>Pass</b>	--	--

Note:

- N.D. = Not Detected or less than MDL
- MDL = Method Detection Limit
- 0.1% = 1000mg/kg, mg/kg = ppm



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China  
Tel:0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com



# TEST REPORT

Report No.: AZT250306018C-E0

Date of issue: March 11, 2025

Page 9 of 13

**B.3.5. Phthalates Content in Toys (including pacifiers, rattles, and teethers): ASTM F963-23 Section 4.3.8**  
Test Method: With reference to CPSC-CH-C1001-09.4, analysis was performed by Gas Chromatograph-Mass Spectrometer (GC-MS).

Test Item	CAS No.	Unit	Result		MDL	Limit
			01	03		
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	%(w/w)	N.D.	N.D.	0.005	0.1
Di-butyl phthalate (DBP)	84-74-2	%(w/w)	N.D.	N.D.	0.005	0.1
Butyl benzyl phthalate (BBP)	85-68-7	%(w/w)	N.D.	N.D.	0.005	0.1
Di-isononyl phthalate (DINP)	28553-12-0 68515-48-0	%(w/w)	N.D.	N.D.	0.005	0.1
Di-n-pentyl phthalate(DPENP)	131-18-0	%(w/w)	N.D.	N.D.	0.005	0.1
Di-n-hexyl phthalate(DHEXP)	84-75-3	%(w/w)	N.D.	N.D.	0.005	0.1
Di-isobutyl phthalate(DIBP)	84-69-5	%(w/w)	N.D.	N.D.	0.005	0.1
Dicyclohexyl phthalate(DCHP)	84-61-7	%(w/w)	N.D.	N.D.	0.005	0.1
<b>Conclusion</b>	--	--	<b>Pass</b>	<b>Pass</b>	--	--

Note:

- N.D. = Not Detected or less than MDL
- MDL = Method Detection Limit
- 0.1% = 1000mg/kg, mg/kg = ppm



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China  
Tel:0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com



# TEST REPORT

Report No.: AZT250306018C-E0

Date of issue: March 11, 2025

Page 10 of 13

## C. 16 CFR Ch.II Part 1303 -Ban Of Lead-Containing Paint And Certain Consumer Products Bearing Lead-Containing Paint

Test Method: With reference to CPSC-CH-E1003-09.1, analysis was performed by Inductively Coupled Plasma-Optical Emission Spectrometer (ICP-OES).

Test Item	Unit	Result	MDL	Limit
		03		
Lead (Pb)	mg/kg	N.D.	10	90
<b>Conclusion</b>	--	<b>Pass</b>	--	--

Note:

- N.D. = Not Detected or less than MDL
- MDL = Method Detection Limit
- 0.1% = 1000mg/kg, mg/kg = ppm

## D. Total Lead(Pb) Content in Surface Coating-15 U.S.C. § 1278a(a), US Consumer Product Safety Improvement Act (CPSIA) of 2008, Section101(f)

Test Method: With reference to CPSC-CH-E1003-09.1, analysis was performed by Inductively Coupled Plasma-Optical Emission Spectrometer (ICP-OES).

Test Item	Unit	Result	MDL	Limit
		03		
Lead (Pb)	mg/kg	N.D.	10	90
<b>Conclusion</b>	--	<b>Pass</b>	--	--

Note:

- N.D. = Not Detected or less than MDL
- MDL = Method Detection Limit
- 0.1% = 1000mg/kg, mg/kg = ppm



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China  
Tel:0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com



# TEST REPORT

Report No.: AZT250306018C-E0

Date of issue: March 11, 2025

Page 11 of 13

## **E. Total Lead(Pb) Content in Substrate -15 U.S.C. § 1278a(a), US Consumer Product Safety Improvement Act (CPSIA) of 2008,Section101(a)**

Test Method: With reference to CPSC-CH-E1002-08.3 & CPSC-CH-E1001-08.3, analysis was performed by Inductively Coupled Plasma-Optical Emission Spectrometer (ICP-OES).

Test Item	Unit	Result		MDL	Limit
		01	02		
Lead (Pb)	mg/kg	N.D.	34	10	100
<b>Conclusion</b>	--	<b>Pass</b>	<b>Pass</b>	--	--

Note:

- N.D. = Not Detected or less than MDL
- MDL = Method Detection Limit
- 0.1% = 1000mg/kg, mg/kg = ppm

## **F. Phthalates Content-US Consumer Product Safety Improvement Act (CPSIA) of 2008, Sec.108(a) &(b)(3) and US 16 CFR Part 1307 for Prohibition of Children’s Toys and Childcare Articles Containing Specified phthalates**

Test Method: With reference to CPSC-CH-C1001-09.4, analysis was performed by gas chromatographic-mass spectrometer (GC-MS).

Test Item	CAS No.	Unit	Result		MDL	Limit
			01	03		
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	%(w/w)	N.D.	N.D.	0.005	0.1
Di-butyl phthalate (DBP)	84-74-2	%(w/w)	N.D.	N.D.	0.005	0.1
Butyl benzyl phthalate (BBP)	85-68-7	%(w/w)	N.D.	N.D.	0.005	0.1
Di-isononyl phthalate (DINP)	28553-12-0 68515-48-0	%(w/w)	N.D.	N.D.	0.005	0.1
Di-n-pentyl phthalate(DPENP)	131-18-0	%(w/w)	N.D.	N.D.	0.005	0.1
Di-n-hexyl phthalate(DHEXP)	84-75-3	%(w/w)	N.D.	N.D.	0.005	0.1
Di-isobutyl phthalate(DIBP)	84-69-5	%(w/w)	N.D.	N.D.	0.005	0.1
Dicyclohexyl phthalate(DCHP)	84-61-7	%(w/w)	N.D.	N.D.	0.005	0.1
<b>Conclusion</b>	--	--	<b>Pass</b>	<b>Pass</b>	--	--

Note:

- N.D. = Not Detected or less than MDL
- MDL = Method Detection Limit
- 0.1% = 1000mg/kg, mg/kg = ppm



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China  
Tel:0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com



# TEST REPORT

Report No.: AZT250306018C-E0

Date of issue: March 11, 2025

Page 12 of 13

**G. 15 U.S.C.§2063(a)(5) or Consumer Product Safety Improvement Act of 2008(CPSIA),PUBLIC LAW 110-314(August 14, 2008)(CPSIA),Section103**  
**-Tracking labels for children's products**

<b>Description</b>	<b>Result</b>
a) Is the product intended for children under 12 years? If no, the section is not applicable.	Yes
b) Is the product under the exemption of marking on children's product?	No
1.Product is too small to be marked.	No
2.Products stay with or be contained in their original packaging.	No
3.Product is sold through a bulk vending machine.	No
4.Physical mark would weaken or damage the product or impair its utility.	No
5.Product surface would be impossible to mark permanently.	No
6.Aesthetics of the product would be ruined by a mark.	No
c) Is the product and packaging or only packaging (for product exempted from the marking) marked below information?	Pass
1) Name of the manufacturer or the name of the private labeler. (Name: Yunhe County Aijia'er Infant and Child Products Co., Ltd.)	Yes
2) Manufacturer or private labeler location, including the name of the country, and the name or other means of coding of city and state. (Location: Lishui City,Zhejiang Province China)	Yes
3) Date of production of the product, in a form of MM/YY or any other coding system. (Date: February 1, 2025)	Yes
4) Cohort information (including the batch, run number, or another identifying characteristic). (Cohort information: 20250201)	Yes
d) Is the label permanent after below permanency testing?	Pass

Remark:


- Tested part(s) was/were specified by client
- Composite testing(s) was/were specified by client
- Photo appendix is included



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China  
Tel:0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com

## The photo of the sample



AZT authenticate the photo on original report only

### Statement:

1. This test report is invalid without the signature of the approver and the special seal of the company's report.
2. The copy of the test report is invalid if the "special seal for testing" or "Special Seal for testing" or the official seal of the testing unit is not re-stamped.
3. After the test report is altered, the test report is invalid.
4. If there is any objection to the test report, please submit written comments to the laboratory within 15 days from the date of receipt of the report.
5. This test is only responsible for samples provided by customers.
6. This report shall not be reproduced in whole or in part without the written authorization of the Company.
7. The laboratory is not responsible for sampling, all samples are provided by customers.
8. The test results in this test report are only related to the samples provided by the customer.
9. If the report is not stamped with the qualification mark, it is only used for scientific research, teaching, internal quality control and other activities, and does not have a proof role for the society.

\*\*\* End of Report \*\*\*

