

# TEST REPORT

Company Name ZHEJIANG MINGSEN TOYS CO., LTD  
Shown on Report:  
Address: NO.8, CHAOYANG ROAD, BAILONGSHAN STREET, YUNHE, LISHUI, ZHEJIANG





**The following sample(s) was/were submitted and identified on behalf of the client as:**

Sample Name: wooden kitchen toys  
Sample Model: MSN21011/MSN25013/MSN24009/MSN24016/MSN24017/M SN25015  
Description: wooden kitchen toys  
Manufacturer: ZHEJIANG MINGSEN TOYS CO., LTD  
Address: NO.8, CHAOYANG ROAD, BAILONGSHAN STREET, YUNHE, LISHUI, ZHEJIANG  
Age grading: 3+ years  
Sample quantity: 6 Sets  
Sample Received Date: Jun.16, 2025  
Test Period: Jun.16, 2025 - Jun.23, 2025  
Date of Issue: Jun.23, 2025



**ISSUED BY:** GUANGDONG TI COBO TESTING CO.,LTD.



**Editor:** Soul **Checked by:** Cd lan **Approved by:** Dean Luo  
  
  
  
Sam Xie  


## 1. Test Requested and Test Conclusion:

Based on the performed tests on specified material(s) or submitted sample(s).

Test items	Conclusion
Mechanical and physical properties - EN 71-1:2014+A1:2018, "European Standard, Safety of Toys"	PASS
Flammability - EN 71-2:2020, "European Standard, Safety of Toys"	PASS
Migration of Certain Elements - EN 71-3:2019+A2:2024, "European Standard, Safety of Toys"	PASS

## 2. Test Result(s)

### 2.1 Mechanical and physical properties

Test Method: EN 71-1:2014+A1:2018

Section	Testing Items	Assessment
4	General requirements	PASS
4.1	Material cleanliness	PASS
4.2	Assembly	NA
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	PASS
4.8	Points and metallic, wires	PASS
4.9	Protruding parts	NA
4.10	Parts moving against each other	NA
4.11	Mouth-actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	NA
4.16	Heavy immobile toys	PASS
4.17	Projectiles toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	PASS
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	PASS
4.23	Magnets	PASS
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA

4.26	Toys disguise costumes	NA
4.27	Flying toys	NA
5	Toy intended for children under 36 months	NA
5.1	General requirements	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid-filled toys	NA
5.6	Speed limitation of electrical cables in toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	NA
7	Warnings, markings and instructions for use	PASS
7.1	General	PASS
7.2	Toys not intended for children under 36 months	PASS
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectiles toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys	NA
7.11	Toys intended to be attached to or strung across a cradle, cot, or perambulator	NA
7.12	Liquids-filled teethers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA

7.20	Magnetic/electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

### Labeling Requirements:

#### 2009/48/EC – Safety of Toys

Testing Items	Assessment
Importer's or Manufacturer's Name	PASS
Importer's or Manufacturer's address	PASS
Product ID	PASS
CE mark (≥5mm)	PASS

**Note:** NA = Not Applicable.

### 2.2 Flammability

Test Method: EN 71-2:2020

Section	Testing Items	Assessment
4	Requirements	PASS
4.1	General requirements	PASS
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft-filled toys	NA

**Note:** NA = Not Applicable.

### 2.3 Migration of Certain Elements

Test Method: With reference to EN 71-3:2019+A2:2024 Annex E & F & G, analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)/Liquid Chromatograph Inductively Coupled Plasma Mass Spectrometer (LC-ICP-MS)/ Inductively Coupled Plasma Mass Spectrometer (ICP-MS).

Test Item	Limit (mg/kg)	RL (mg/kg)	Result(mg/kg)				
	Category III		1	2	3	4	5
Antimony (Sb)	560	5.0	N.D.	N.D.	N.D.	N.D.	N.D.
Arsenic (As)	47	2.5	N.D.	N.D.	N.D.	N.D.	N.D.
Barium (Ba)	18750	5.0	N.D.	N.D.	N.D.	N.D.	N.D.
Boron (B)	15000	5.0	N.D.	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)	17	2.0	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(III) (Cr <sup>3+</sup> )#1	460	2.0	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(VI) (Cr <sup>6+</sup> )	0.053	0.01	N.D.	N.D.	N.D.	N.D.	N.D.
Cobalt (Co)	130	5.0	N.D.	N.D.	N.D.	N.D.	N.D.
Copper (Cu)	7700	5.0	N.D.	N.D.	N.D.	N.D.	N.D.
Lead (Pb)	23	5.0	N.D.	N.D.	N.D.	N.D.	N.D.
Manganese (Mn)	15000	5.0	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)	94	5.0	N.D.	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)	930	5.0	N.D.	N.D.	N.D.	N.D.	N.D.
Selenium (Se)	460	5.0	N.D.	N.D.	N.D.	N.D.	N.D.
Strontium (Sr)	56000	5.0	N.D.	N.D.	N.D.	N.D.	N.D.
Tin (Sn)	180000	2.5	N.D.	N.D.	N.D.	N.D.	N.D.
Organic tin#2	12	2.0	N.D.	N.D.	N.D.	N.D.	N.D.
Aluminium (Al)	28130	5.0	N.D.	N.D.	N.D.	N.D.	N.D.
Zinc (Zn)	46000	5.0	N.D.	N.D.	N.D.	N.D.	N.D.
<b>Conclusion (s)</b>			PASS	PASS	PASS	PASS	PASS

Test Item	Limit (mg/kg)	RL (mg/kg)	Result(mg/kg)
	Category III		6
Antimony (Sb)	560	5.0	N.D.
Arsenic (As)	47	2.5	N.D.
Barium (Ba)	18750	5.0	N.D.
Boron (B)	15000	5.0	N.D.
Cadmium (Cd)	17	2.0	N.D.
Chromium(III) (Cr <sup>3+</sup> ) <sup>#1</sup>	460	2.0	N.D.
Chromium(VI) (Cr <sup>6+</sup> )	0.053	0.01	N.D.
Cobalt (Co)	130	5.0	N.D.
Copper (Cu)	7700	5.0	N.D.
Lead (Pb)	23	5.0	N.D.
Manganese (Mn)	15000	5.0	N.D.
Mercury (Hg)	94	5.0	N.D.
Nickel (Ni)	930	5.0	N.D.
Selenium (Se)	460	5.0	N.D.
Strontium (Sr)	56000	5.0	N.D.
Tin (Sn)	180000	2.5	N.D.
Organic tin <sup>#2</sup>	12	2.0	N.D.
Aluminium (Al)	28130	5.0	N.D.
Zinc (Zn)	46000	5.0	N.D.
<b>Conclusion (s)</b>			<b>PASS</b>

- Note:
1. mg/kg = milligram per kilogram.
  2. RL = Report Limit.
  3. N.D. = Not Detected (< RL).
  4. #1= The migration value of Chromium (III) were calculated by the migration value of chromium subtracted the migration value of chromium (VI).
  5. #2 = The value of organic tin was calculated by summation of the ten organic tin value as following: Organic tin include Methyl tin, Butyltin, Dibutyl tin, Tributyl tin, Tetrabutyl tin, n-Octyl tin, Di-n-octyl tin, Di-n-propyl tin, Diphenyl tin, Triphenyl tin.

## Migration limits from toy materials:

Substance	Category I		Category II		Category III	
	Limit (mg/kg)	RL (mg/kg)	Limit (mg/kg)	RL (mg/kg)	Limit (mg/kg)	RL (mg/kg)
Antimony (Sb)	45	1.0	11.3	1.0	560	5.0
Arsenic (As)	3.8	0.1	0.9	0.1	47	2.5
Barium (Ba)	1500	5.0	375	5.0	18750	5.0
Boron (B)	1200	5.0	300	5.0	15000	5.0
Cadmium (Cd)	1.3	0.05	0.3	0.05	17	2.0
Chromium(III) (Cr <sup>3+</sup> )	37.5	1.0	9.4	0.5	460	2.0
Chromium(VI) (Cr <sup>6+</sup> )	0.02	0.001	0.005	0.001	0.053	0.01
Cobalt (Co)	10.5	0.5	2.6	0.1	130	5.0
Copper (Cu)	622.5	5.0	156	5.0	7700	5.0
Lead (Pb)	2.0	0.1	0.5	0.05	23	5.0
Manganese (Mn)	1200	5.0	300	5.0	15000	5.0
Mercury (Hg)	7.5	0.1	1.9	0.1	94	5.0
Nickel (Ni)	75	1.0	18.8	0.5	930	5.0
Selenium (Se)	37.5	1.0	9.4	1.0	460	5.0
Strontium (Sr)	4500	5.0	1125	5.0	56000	5.0
Tin (Sn)	15000	5.0	3750	5.0	180000	2.5
*Organic tin	0.9	0.01	0.2	0.05	12	2.0
Aluminium (Al)	2250	5.0	560	5.0	28130	5.0
Zinc (Zn)	3750	5.0	938	5.0	46000	5.0


1. "\*" = Organic tin include Methyl tin, Butyltin, Dibutyl tin, Tributyl tin, Tetrabutyl tin, n-Octyl tin, Di-n-octyl tin, Di-n-propyl tin, Diphenyl tin, Triphenyl tin.
2. RL = Report Limit.
3. Specific element migration requirements include the following toy categories:
  - Category I: Dry, brittle, powdery, or flexible materials  
It includes solid toy materials that can release powdery substances during play and semi solid toy materials that can remain on the hands.  
(This type of material is easily ingested into the body, and exposure to this type of material on the hands increases the risk of oral contact.)
  - Category II: Liquid or viscous materials.  
(i.e., liquid or sticky toy materials that can be ingested or come into contact with the skin during play)
  - Category III: Material that can be scraped off.  
(That is, solid toy materials (whether coated or not) can be ingested through biting, tooth scraping, sucking, or licking.).

**3. Sample description**


Material No.	Description
1	Beige coating(surface of dessert style cabinet )
2	Multi-color coating(surface of cake oven style gas stove)
3	Multi-color coating(surface of dish-washing machine style gas stove)
4	Multi-color coating(surface of ice machine style gas stove)
5	Pink/black/white coating(surface of washing machine style cabinet)
6	Natural color plywood(cabinet door)

**Photo of the Sample**









Warning: Not suitable for children under 36 months.  
Small parts. Small balls. Assembled by an adult.

**Product Description:** wooden kitchen toys


**Model No./Type:** ■SN21011/■SN25013/■SN24009/■SN24016/■SN24017/■SN25015

**Manufacturer:** ZHEJIANG MINGSEN TOYS CO., LTD

**Manufacturer address:** NO. 8, CHAOYANG ROAD, BAILONGSHAN STREET, YUNHE, LISHUI, ZHEJIANG

**Age grading:** 36M+

**Production Date:** 2025/4/1



Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

\*\*\*End of Report\*\*\*

